Wheat-No. 1 white\$ 81	60 85
Wheat—No. 2 red	(4) 88
Flour, roller process 4 7.	@ 5 00
Flour, stone process 4 50	ter 4 73
Corn 40	(0) 45
Oats,	(d) 3)
Barley 1 35	or 1 37
Rye per 100 4 00	(6) 4 15
Bran 12 75	(#13.00
Clover Seed 39 bu 5 00	or 5 25
Timothy Seed	or 1 10
Apples per bbl	@ 1 75
Butter # 15 11	(4) 13
Choese	(a) 8
Eggs	@ 12
Chickens 9	(4) 10
Turkeys	(6) 11
Ducks et pair0	66 50
Potatoes, new, per bu So	60 35
Potatoes 3/ bbl 1 10	(et 1 20)
Pears, common variety, \$2 bbl 2 50	(a) 3 50
Pears, Bartletts, M bbl 4 50	@ 5 50
Peaches, per bu	(0) 3 50
Turnips	(e) 35
Onions Pbu 7.3	(e) 90
Honey 10	(a) 11
Beans, picked 1 25	@ 1 30
Beans, unpicked	(a) 1 00
Hay15 00	@17 00
Straw 6 00	@ 7 00
Pork,dressed # 100 5 50	@ 6 00
Pork, mess new	@10 25
Pork, family	@13 25
Rams	@ 104
Shoulders	@ 6
Lard 7	(ii) 73 _c
Dried Beef	(e) 13 ·
Tallow	@ 534
Beeswax	@ 35
Beef extra mess	@10 25
Wood, Beech and Maple 75	@ 5 00
Wood Maple 5 5)	@ 6 50
Wood Hickory 5 50	@ 5 75

The Situation in Bay City.

Birmingham Eccentric.

AROUND A GREAT STATE.

by He was in a hondest coming up out of the control of a horse distance, arguage out, falling 140 cases for a horse distance, arguage out, falling 140 cash control of the heart.

ged in or st dinen- kness in	Per cent of reports stat- ing presence of disease.		225
Diseases arrander of great sion of se July 1885.	In July 1885.	Average In	Per et. of rep- or less in J than the av July, 1879 N
emittent fever	30	51	121
ysentery	15	32	117
itermittent fever.	149	83	117
onsumption of image	48	423	115
holera infantus	20	33	113
iarrii ca. ioleta morbus.	63	74	113
easles.		17	110
hooping cough.	14	1.5	1.5
neumonia.	10	16	1.6
ypho-malarial fever.	10	15	1.5
iphtheria.	- 11	16	+ 5
ronchitis.	41	46	1.5
heumatism.	. 50	64	+ 5
dammation of kidneys	17	31	1.4
carlet fever.	- 11	14	+ 3
robold fever.	16	1.4	+ 1
embraneous-croup.	1	1 1	1 2
nall-pox.	i i	1 1	+ 1
dammation of bowels	165	17	111
fluenza.	18	19	7.1
rystredas.	21	190	+ 1
curalgia.	58	50	- i i