Water Study Cost May Be \$45,000

one political unit to another.

Outry has endorsed purchase of water from Detroit. At a time when he badly needed Detroit's signature on sewer contracts, Harold K. Schone, former DPW director, said he believed Detroit's signature on sewer contracts. Harold K. Schone, former DPW director, said he believed Detroit's signature on sewer contracts. Harold Recombowned Lake Huron supply.

Democratic chairman, aumounced contracts of county activities scheduled on the county could have used a possible of county activities scheduled of the county could have used a possible of county activities scheduled of the county could have used a possible of county activities and the county could have used a possible of the county could have used a possible of county activities and the county could have used a possible of county activities and the county could have used a possible of the county could have used a possible of county activities and the county could have used a possible of county activities and the county could have used a possible of county activities and the county could have used a possible of county activities and the county could have used a possible of county activities and the county could have used a possible of county activities and the county could have used a possible of county activities and the county county activities and the county activities

handy carrying case

STUDENTS...INVEST

IN YOUR FUTURE

...invest in an Olympia portable!

ADDING MACHINES RENTALS — SALES — SERVICE
ROYAL - OLYMPIA - SMITH-CORONA - REMINGTON

Birmingham Printing Equipment Co

Four years and \$45,000 are required to figure how much underground water in the quired to figure how much underground water is available in only as well as from several interpretations of the county. According to available the found in the "lowest part of the county." Although the said his despartment water supply, if true and feasible, would be much cheaper then the world water from Detroit. He reposition water and diverting stream water supply, if true and feasible, would be much cheaper then the proposition of the county. Although the said his despartment water supply, if true and feasible, would be much cheaper then the buried outself water from Detroit. He repositions the said of the said in the said of the said

James B. Ginn, Oakland county
Democratic chairman, announced
the appointment of two chairmen
of county activities scheduled
citizens clubs in Oakland to

serials and make recommendations to merchants about sale of obseems literature is a high indisentance. The sale of obseems literature is a high indisentance, and in the sale of continued from Page 8-B) (Continued from Page 8-B

Will Answer Suit

Will Answer Suit

Oakland county prosecutor
George F. Taylor says he intends
against a Farnington couple. Melvin, B. and Mildred A. Hummons
The Hummons are suing Taylor
and and his wife for damages.
The Farmington couple claim
The Farmington couple claim
The Farmington couple claim
The Farmington couple claim
The Farmington pred. Taylor
cressive and unlawful speed. Taylor
claim to the work of the prediction of the couple of the co

ground water development is not favorable in the southeast part of the Kalamazoo plan and said, "We ught to go look at it."

If county supervisors and the federal government approve quantitative analysis of county ground water development is not federal government approve the said. The county may be could see not immediate the said of a county ground water of the county for the said cost would be split 50-50 between the federal and county organization to speech the said. Speech said of the county organization to speech the said of a county organization to speech the said of questionable and said. "The DPW could act as the said of the said of

First Methodist





RECESSED FIXTURE

ROMEX | WIRE 14-2

EXTRUDED ALLIMINUA

DO IT RIGHT

Scotts

WITH

Combination Basement Windows

20 Gallon GARBAGE CAN

4 gals to a customer . . . all

new 1961 fresh stock . . . reg.

3.25 val. Buy it NOW only . . .

passes all city codes. .

189



DRILLMASTER DRILLS





Complete line
of thin wall
fittings . . . fuse
boxes . . and
breakers.
Fluorescent
and pre-wired
fixtures SAVE ON LUMBER 2 x 4 x 7 69

SAVE ON

Silent

reg. 99c69c

1/2" Thin was in 10 ft. lgths, 986

3/4" Thin Wall in 10 ft. lgths. 1.39

4" Octagon Outlet BOXES reg. 89c29c

DUPLEX

Receptacle reg. 25c 15c ea.

4 x 8 x ½ 388

4 x 8 x 1/8 3 88





