

# Barons Win For Mom's; Crush Lakers

It was Mom's night at Bloomfield Friday night and the Barons presented their mothers with an exciting, 48-40, win over W. Bloomfield. Art Trezenza continued his hot scoring pace as he led the Hills to their third straight victory.

With one game remaining, the Wayne-Oakland League standings are beginning to take shape. Northville is only one game away from a perfect season and has first place wrapped up.

**BLOOMFIELD** is comfortably entrenched in second place with a 10-3 record. Trailing the Barons are West Bloomfield and Holly.

Seven seniors took the floor for Bloomfield's final home contest of the 1961-62 season. The Barons got off to a slow start and had to come from behind to tie the game, 42-42, at the end of the first quarter.

In the second stanza, the Hills edged out in front to take a 24-19 half-time margin.

**THE RECORD-HOLDING** Trezenza paced the Barons offense in the second half when he finished with 17 of his 23 points.

Trezenza set a new point record every time he scored. He finished with 11 points.

Bill Bennett tallied nine points for Bloomfield and teammate John Schaefer added eight points.

Bill Ellison led the Lakers with 12 points and Dan Greig counted for ten.

Bloomfield will close the season tomorrow night with a game against Clarston.

**THE RECORD-HOLDING** Trezenza paced the Barons offense in the second half when he finished with 17 of his 23 points.

Trezenza set a new point record every time he scored. He finished with 11 points.

Bill Bennett tallied nine points for Bloomfield and teammate John Schaefer added eight points.

Bill Ellison led the Lakers with 12 points and Dan Greig counted for ten.

Bloomfield will close the season tomorrow night with a game against Clarston.



Maple swimmers Jim Falconer, Lynn Smith and Jim Henderson finished that order.

In league meets points are awarded for all finishers. Kimball now holds a 12-6 margin over Seaholm.

**TWO MAPLE** tankers were double scorers in their events in the preliminaries.

Speedy Don Spencer set two new league records in winning the butterfly and the tough individual medley.

The all-American was clocked in 56.1 for the butterfly and 2:16.2 in the individual.

Broce Cromander, Jeff Wallace and Dennis Rozeema also qualified for the Maples in the butterfly, while Tom Kennedy and Ron Lotero will join Spencer in the individual.

**BOB WOLF** captured both the backstroke and the 100 yd. freestyle for Seaholm.

Wolf edged out Kimball's Don Hugel in taking the freestyle in 2:08.2, while he was clocked in 60.5 for the backstroke.

Other Maple finalists include: Jack Hoyt, Tom Frits and Noel Buraham in the 50 yd. freestyle, while Tom Coupe, Jim Falconer and Lynn Smith made the 200 yd. final.

**EMIL SWIMMING** Final Qualifiers: 50 YD. FREESTYLE: McCarty (K) 56.1, Hoyt (B) 56.2, Frits (B) 56.3, Hoyt (B) 56.4, Frits (B) 56.5, Hoyt (B) 56.6, Frits (B) 56.7, Hoyt (B) 56.8, Frits (B) 56.9, Hoyt (B) 57.0, Frits (B) 57.1, Hoyt (B) 57.2, Frits (B) 57.3, Hoyt (B) 57.4, Frits (B) 57.5, Hoyt (B) 57.6, Frits (B) 57.7, Hoyt (B) 57.8, Frits (B) 57.9, Hoyt (B) 58.0, Frits (B) 58.1, Hoyt (B) 58.2, Frits (B) 58.3, Hoyt (B) 58.4, Frits (B) 58.5, Hoyt (B) 58.6, Frits (B) 58.7, Hoyt (B) 58.8, Frits (B) 58.9, Hoyt (B) 59.0, Frits (B) 59.1, Hoyt (B) 59.2, Frits (B) 59.3, Hoyt (B) 59.4, Frits (B) 59.5, Hoyt (B) 59.6, Frits (B) 59.7, Hoyt (B) 59.8, Frits (B) 59.9, Hoyt (B) 60.0, Frits (B) 60.1, Hoyt (B) 60.2, Frits (B) 60.3, Hoyt (B) 60.4, Frits (B) 60.5, Hoyt (B) 60.6, Frits (B) 60.7, Hoyt (B) 60.8, Frits (B) 60.9, Hoyt (B) 61.0, Frits (B) 61.1, Hoyt (B) 61.2, Frits (B) 61.3, Hoyt (B) 61.4, Frits (B) 61.5, Hoyt (B) 61.6, Frits (B) 61.7, Hoyt (B) 61.8, Frits (B) 61.9, Hoyt (B) 62.0, Frits (B) 62.1, Hoyt (B) 62.2, Frits (B) 62.3, Hoyt (B) 62.4, Frits (B) 62.5, Hoyt (B) 62.6, Frits (B) 62.7, Hoyt (B) 62.8, Frits (B) 62.9, Hoyt (B) 63.0, Frits (B) 63.1, Hoyt (B) 63.2, Frits (B) 63.3, Hoyt (B) 63.4, Frits (B) 63.5, Hoyt (B) 63.6, Frits (B) 63.7, Hoyt (B) 63.8, Frits (B) 63.9, Hoyt (B) 64.0, Frits (B) 64.1, Hoyt (B) 64.2, Frits (B) 64.3, Hoyt (B) 64.4, Frits (B) 64.5, Hoyt (B) 64.6, Frits (B) 64.7, Hoyt (B) 64.8, Frits (B) 64.9, Hoyt (B) 65.0, Frits (B) 65.1, Hoyt (B) 65.2, Frits (B) 65.3, Hoyt (B) 65.4, Frits (B) 65.5, Hoyt (B) 65.6, Frits (B) 65.7, Hoyt (B) 65.8, Frits (B) 65.9, Hoyt (B) 66.0, Frits (B) 66.1, Hoyt (B) 66.2, Frits (B) 66.3, Hoyt (B) 66.4, Frits (B) 66.5, Hoyt (B) 66.6, Frits (B) 66.7, Hoyt (B) 66.8, Frits (B) 66.9, Hoyt (B) 67.0, Frits (B) 67.1, Hoyt (B) 67.2, Frits (B) 67.3, Hoyt (B) 67.4, Frits (B) 67.5, Hoyt (B) 67.6, Frits (B) 67.7, Hoyt (B) 67.8, Frits (B) 67.9, Hoyt (B) 68.0, Frits (B) 68.1, Hoyt (B) 68.2, Frits (B) 68.3, Hoyt (B) 68.4, Frits (B) 68.5, Hoyt (B) 68.6, Frits (B) 68.7, Hoyt (B) 68.8, Frits (B) 68.9, Hoyt (B) 69.0, Frits (B) 69.1, Hoyt (B) 69.2, Frits (B) 69.3, Hoyt (B) 69.4, Frits (B) 69.5, Hoyt (B) 69.6, Frits (B) 69.7, Hoyt (B) 69.8, Frits (B) 69.9, Hoyt (B) 70.0, Frits (B) 70.1, Hoyt (B) 70.2, Frits (B) 70.3, Hoyt (B) 70.4, Frits (B) 70.5, Hoyt (B) 70.6, Frits (B) 70.7, Hoyt (B) 70.8, Frits (B) 70.9, Hoyt (B) 71.0, Frits (B) 71.1, Hoyt (B) 71.2, Frits (B) 71.3, Hoyt (B) 71.4, Frits (B) 71.5, Hoyt (B) 71.6, Frits (B) 71.7, Hoyt (B) 71.8, Frits (B) 71.9, Hoyt (B) 72.0, Frits (B) 72.1, Hoyt (B) 72.2, Frits (B) 72.3, Hoyt (B) 72.4, Frits (B) 72.5, Hoyt (B) 72.6, Frits (B) 72.7, Hoyt (B) 72.8, Frits (B) 72.9, Hoyt (B) 73.0, Frits (B) 73.1, Hoyt (B) 73.2, Frits (B) 73.3, Hoyt (B) 73.4, Frits (B) 73.5, Hoyt (B) 73.6, Frits (B) 73.7, Hoyt (B) 73.8, Frits (B) 73.9, Hoyt (B) 74.0, Frits (B) 74.1, Hoyt (B) 74.2, Frits (B) 74.3, Hoyt (B) 74.4, Frits (B) 74.5, Hoyt (B) 74.6, Frits (B) 74.7, Hoyt (B) 74.8, Frits (B) 74.9, Hoyt (B) 75.0, Frits (B) 75.1, Hoyt (B) 75.2, Frits (B) 75.3, Hoyt (B) 75.4, Frits (B) 75.5, Hoyt (B) 75.6, Frits (B) 75.7, Hoyt (B) 75.8, Frits (B) 75.9, Hoyt (B) 76.0, Frits (B) 76.1, Hoyt (B) 76.2, Frits (B) 76.3, Hoyt (B) 76.4, Frits (B) 76.5, Hoyt (B) 76.6, Frits (B) 76.7, Hoyt (B) 76.8, Frits (B) 76.9, Hoyt (B) 77.0, Frits (B) 77.1, Hoyt (B) 77.2, Frits (B) 77.3, Hoyt (B) 77.4, Frits (B) 77.5, Hoyt (B) 77.6, Frits (B) 77.7, Hoyt (B) 77.8, Frits (B) 77.9, Hoyt (B) 78.0, Frits (B) 78.1, Hoyt (B) 78.2, Frits (B) 78.3, Hoyt (B) 78.4, Frits (B) 78.5, Hoyt (B) 78.6, Frits (B) 78.7, Hoyt (B) 78.8, Frits (B) 78.9, Hoyt (B) 79.0, Frits (B) 79.1, Hoyt (B) 79.2, Frits (B) 79.3, Hoyt (B) 79.4, Frits (B) 79.5, Hoyt (B) 79.6, Frits (B) 79.7, Hoyt (B) 79.8, Frits (B) 79.9, Hoyt (B) 80.0, Frits (B) 80.1, Hoyt (B) 80.2, Frits (B) 80.3, Hoyt (B) 80.4, Frits (B) 80.5, Hoyt (B) 80.6, Frits (B) 80.7, Hoyt (B) 80.8, Frits (B) 80.9, Hoyt (B) 81.0, Frits (B) 81.1, Hoyt (B) 81.2, Frits (B) 81.3, Hoyt (B) 81.4, Frits (B) 81.5, Hoyt (B) 81.6, Frits (B) 81.7, Hoyt (B) 81.8, Frits (B) 81.9, Hoyt (B) 82.0, Frits (B) 82.1, Hoyt (B) 82.2, Frits (B) 82.3, Hoyt (B) 82.4, Frits (B) 82.5, Hoyt (B) 82.6, Frits (B) 82.7, Hoyt (B) 82.8, Frits (B) 82.9, Hoyt (B) 83.0, Frits (B) 83.1, Hoyt (B) 83.2, Frits (B) 83.3, Hoyt (B) 83.4, Frits (B) 83.5, Hoyt (B) 83.6, Frits (B) 83.7, Hoyt (B) 83.8, Frits (B) 83.9, Hoyt (B) 84.0, Frits (B) 84.1, Hoyt (B) 84.2, Frits (B) 84.3, Hoyt (B) 84.4, Frits (B) 84.5, Hoyt (B) 84.6, Frits (B) 84.7, Hoyt (B) 84.8, Frits (B) 84.9, Hoyt (B) 85.0, Frits (B) 85.1, Hoyt (B) 85.2, Frits (B) 85.3, Hoyt (B) 85.4, Frits (B) 85.5, Hoyt (B) 85.6, Frits (B) 85.7, Hoyt (B) 85.8, Frits (B) 85.9, Hoyt (B) 86.0, Frits (B) 86.1, Hoyt (B) 86.2, Frits (B) 86.3, Hoyt (B) 86.4, Frits (B) 86.5, Hoyt (B) 86.6, Frits (B) 86.7, Hoyt (B) 86.8, Frits (B) 86.9, Hoyt (B) 87.0, Frits (B) 87.1, Hoyt (B) 87.2, Frits (B) 87.3, Hoyt (B) 87.4, Frits (B) 87.5, Hoyt (B) 87.6, Frits (B) 87.7, Hoyt (B) 87.8, Frits (B) 87.9, Hoyt (B) 88.0, Frits (B) 88.1, Hoyt (B) 88.2, Frits (B) 88.3, Hoyt (B) 88.4, Frits (B) 88.5, Hoyt (B) 88.6, Frits (B) 88.7, Hoyt (B) 88.8, Frits (B) 88.9, Hoyt (B) 89.0, Frits (B) 89.1, Hoyt (B) 89.2, Frits (B) 89.3, Hoyt (B) 89.4, Frits (B) 89.5, Hoyt (B) 89.6, Frits (B) 89.7, Hoyt (B) 89.8, Frits (B) 89.9, Hoyt (B) 90.0, Frits (B) 90.1, Hoyt (B) 90.2, Frits (B) 90.3, Hoyt (B) 90.4, Frits (B) 90.5, Hoyt (B) 90.6, Frits (B) 90.7, Hoyt (B) 90.8, Frits (B) 90.9, Hoyt (B) 91.0, Frits (B) 91.1, Hoyt (B) 91.2, Frits (B) 91.3, Hoyt (B) 91.4, Frits (B) 91.5, Hoyt (B) 91.6, Frits (B) 91.7, Hoyt (B) 91.8, Frits (B) 91.9, Hoyt (B) 92.0, Frits (B) 92.1, Hoyt (B) 92.2, Frits (B) 92.3, Hoyt (B) 92.4, Frits (B) 92.5, Hoyt (B) 92.6, Frits (B) 92.7, Hoyt (B) 92.8, Frits (B) 92.9, Hoyt (B) 93.0, Frits (B) 93.1, Hoyt (B) 93.2, Frits (B) 93.3, Hoyt (B) 93.4, Frits (B) 93.5, Hoyt (B) 93.6, Frits (B) 93.7, Hoyt (B) 93.8, Frits (B) 93.9, Hoyt (B) 94.0, Frits (B) 94.1, Hoyt (B) 94.2, Frits (B) 94.3, Hoyt (B) 94.4, Frits (B) 94.5, Hoyt (B) 94.6, Frits (B) 94.7, Hoyt (B) 94.8, Frits (B) 94.9, Hoyt (B) 95.0, Frits (B) 95.1, Hoyt (B) 95.2, Frits (B) 95.3, Hoyt (B) 95.4, Frits (B) 95.5, Hoyt (B) 95.6, Frits (B) 95.7, Hoyt (B) 95.8, Frits (B) 95.9, Hoyt (B) 96.0, Frits (B) 96.1, Hoyt (B) 96.2, Frits (B) 96.3, Hoyt (B) 96.4, Frits (B) 96.5, Hoyt (B) 96.6, Frits (B) 96.7, Hoyt (B) 96.8, Frits (B) 96.9, Hoyt (B) 97.0, Frits (B) 97.1, Hoyt (B) 97.2, Frits (B) 97.3, Hoyt (B) 97.4, Frits (B) 97.5, Hoyt (B) 97.6, Frits (B) 97.7, Hoyt (B) 97.8, Frits (B) 97.9, Hoyt (B) 98.0, Frits (B) 98.1, Hoyt (B) 98.2, Frits (B) 98.3, Hoyt (B) 98.4, Frits (B) 98.5, Hoyt (B) 98.6, Frits (B) 98.7, Hoyt (B) 98.8, Frits (B) 98.9, Hoyt (B) 99.0, Frits (B) 99.1, Hoyt (B) 99.2, Frits (B) 99.3, Hoyt (B) 99.4, Frits (B) 99.5, Hoyt (B) 99.6, Frits (B) 99.7, Hoyt (B) 99.8, Frits (B) 99.9, Hoyt (B) 100.0, Frits (B) 100.1, Hoyt (B) 100.2, Frits (B) 100.3, Hoyt (B) 100.4, Frits (B) 100.5, Hoyt (B) 100.6, Frits (B) 100.7, Hoyt (B) 100.8, Frits (B) 100.9, Hoyt (B) 101.0, Frits (B) 101.1, Hoyt (B) 101.2, Frits (B) 101.3, Hoyt (B) 101.4, Frits (B) 101.5, Hoyt (B) 101.6, Frits (B) 101.7, Hoyt (B) 101.8, Frits (B) 101.9, Hoyt (B) 102.0, Frits (B) 102.1, Hoyt (B) 102.2, Frits (B) 102.3, Hoyt (B) 102.4, Frits (B) 102.5, Hoyt (B) 102.6, Frits (B) 102.7, Hoyt (B) 102.8, Frits (B) 102.9, Hoyt (B) 103.0, Frits (B) 103.1, Hoyt (B) 103.2, Frits (B) 103.3, Hoyt (B) 103.4, Frits (B) 103.5, Hoyt (B) 103.6, Frits (B) 103.7, Hoyt (B) 103.8, Frits (B) 103.9, Hoyt (B) 104.0, Frits (B) 104.1, Hoyt (B) 104.2, Frits (B) 104.3, Hoyt (B) 104.4, Frits (B) 104.5, Hoyt (B) 104.6, Frits (B) 104.7, Hoyt (B) 104.8, Frits (B) 104.9, Hoyt (B) 105.0, Frits (B) 105.1, Hoyt (B) 105.2, Frits (B) 105.3, Hoyt (B) 105.4, Frits (B) 105.5, Hoyt (B) 105.6, Frits (B) 105.7, Hoyt (B) 105.8, Frits (B) 105.9, Hoyt (B) 106.0, Frits (B) 106.1, Hoyt (B) 106.2, Frits (B) 106.3, Hoyt (B) 106.4, Frits (B) 106.5, Hoyt (B) 106.6, Frits (B) 106.7, Hoyt (B) 106.8, Frits (B) 106.9, Hoyt (B) 107.0, Frits (B) 107.1, Hoyt (B) 107.2, Frits (B) 107.3, Hoyt (B) 107.4, Frits (B) 107.5, Hoyt (B) 107.6, Frits (B) 107.7, Hoyt (B) 107.8, Frits (B) 107.9, Hoyt (B) 108.0, Frits (B) 108.1, Hoyt (B) 108.2, Frits (B) 108.3, Hoyt (B) 108.4, Frits (B) 108.5, Hoyt (B) 108.6, Frits (B) 108.7, Hoyt (B) 108.8, Frits (B) 108.9, Hoyt (B) 109.0, Frits (B) 109.1, Hoyt (B) 109.2, Frits (B) 109.3, Hoyt (B) 109.4, Frits (B) 109.5, Hoyt (B) 109.6, Frits (B) 109.7, Hoyt (B) 109.8, Frits (B) 109.9, Hoyt (B) 110.0, Frits (B) 110.1, Hoyt (B) 110.2, Frits (B) 110.3, Hoyt (B) 110.4, Frits (B) 110.5, Hoyt (B) 110.6, Frits (B) 110.7, Hoyt (B) 110.8, Frits (B) 110.9, Hoyt (B) 111.0, Frits (B) 111.1, Hoyt (B) 111.2, Frits (B) 111.3, Hoyt (B) 111.4, Frits (B) 111.5, Hoyt (B) 111.6, Frits (B) 111.7, Hoyt (B) 111.8, Frits (B) 111.9, Hoyt (B) 112.0, Frits (B) 112.1, Hoyt (B) 112.2, Frits (B) 112.3, Hoyt (B) 112.4, Frits (B) 112.5, Hoyt (B) 112.6, Frits (B) 112.7, Hoyt (B) 112.8, Frits (B) 112.9, Hoyt (B) 113.0, Frits (B) 113.1, Hoyt (B) 113.2, Frits (B) 113.3, Hoyt (B) 113.4, Frits (B) 113.5, Hoyt (B) 113.6, Frits (B) 113.7, Hoyt (B) 113.8, Frits (B) 113.9, Hoyt (B) 114.0, Frits (B) 114.1, Hoyt (B) 114.2, Frits (B) 114.3, Hoyt (B) 114.4, Frits (B) 114.5, Hoyt (B) 114.6, Frits (B) 114.7, Hoyt (B) 114.8, Frits (B) 114.9, Hoyt (B) 115.0, Frits (B) 115.1, Hoyt (B) 115.2, Frits (B) 115.3, Hoyt (B) 115.4, Frits (B) 115.5, Hoyt (B) 115.6, Frits (B) 115.7, Hoyt (B) 115.8, Frits (B) 115.9, Hoyt (B) 116.0, Frits (B) 116.1, Hoyt (B) 116.2, Frits (B) 116.3, Hoyt (B) 116.4, Frits (B) 116.5, Hoyt (B) 116.6, Frits (B) 116.7, Hoyt (B) 116.8, Frits (B) 116.9, Hoyt (B) 117.0, Frits (B) 117.1, Hoyt (B) 117.2, Frits (B) 117.3, Hoyt (B) 117.4, Frits (B) 117.5, Hoyt (B) 117.6, Frits (B) 117.7, Hoyt (B) 117.8, Frits (B) 117.9, Hoyt (B) 118.0, Frits (B) 118.1, Hoyt (B) 118.2, Frits (B) 118.3, Hoyt (B) 118.4, Frits (B) 118.5, Hoyt (B) 118.6, Frits (B) 118.7, Hoyt (B) 118.8, Frits (B) 118.9, Hoyt (B) 119.0, Frits (B) 119.1, Hoyt (B) 119.2, Frits (B) 119.3, Hoyt (B) 119.4, Frits (B) 119.5, Hoyt (B) 119.6, Frits (B) 119.7, Hoyt (B) 119.8, Frits (B) 119.9, Hoyt (B) 120.0, Frits (B) 120.1, Hoyt (B) 120.2, Frits (B) 120.3, Hoyt (B) 120.4, Frits (B) 120.5, Hoyt (B) 120.6, Frits (B) 120.7, Hoyt (B) 120.8, Frits (B) 120.9, Hoyt (B) 121.0, Frits (B) 121.1, Hoyt (B) 121.2, Frits (B) 121.3, Hoyt (B) 121.4, Frits (B) 121.5, Hoyt (B) 121.6, Frits (B) 121.7, Hoyt (B) 121.8, Frits (B) 121.9, Hoyt (B) 122.0, Frits (B) 122.1, Hoyt (B) 122.2, Frits (B) 122.3, Hoyt (B) 122.4, Frits (B) 122.5, Hoyt (B) 122.6, Frits (B) 122.7, Hoyt (B) 122.8, Frits (B) 122.9, Hoyt (B) 123.0, Frits (B) 123.1, Hoyt (B) 123.2, Frits (B) 123.3, Hoyt (B) 123.4, Frits (B) 123.5, Hoyt (B) 123.6, Frits (B) 123.7, Hoyt (B) 123.8, Frits (B) 123.9, Hoyt (B) 124.0, Frits (B) 124.1, Hoyt (B) 124.2, Frits (B) 124.3, Hoyt (B) 124.4, Frits (B) 124.5, Hoyt (B) 124.6, Frits (B) 124.7, Hoyt (B) 124.8, Frits (B) 124.9, Hoyt (B) 125.0, Frits (B) 125.1, Hoyt (B) 125.2, Frits (B) 125.3, Hoyt (B) 125.4, Frits (B) 125.5, Hoyt (B) 125.6, Frits (B) 125.7, Hoyt (B) 125.8, Frits (B) 125.9, Hoyt (B) 126.0, Frits (B) 126.1, Hoyt (B) 126.2, Frits (B) 126.3, Hoyt (B) 126.4, Frits (B) 126.5, Hoyt (B) 126.6, Frits (B) 126.7, Hoyt (B) 126.8, Frits (B) 126.9, Hoyt (B) 127.0, Frits (B) 127.1, Hoyt (B) 127.2, Frits (B) 127.3, Hoyt (B) 127.4, Frits (B) 127.5, Hoyt (B) 127.6, Frits (B) 127.7, Hoyt (B) 127.8, Frits (B) 127.9, Hoyt (B) 128.0, Frits (B) 128.1, Hoyt (B) 128.2, Frits (B) 128.3, Hoyt (B) 128.4, Frits (B) 128.5, Hoyt (B) 128.6, Frits (B) 128.7, Hoyt (B) 128.8, Frits (B) 128.9, Hoyt (B) 129.0, Frits (B) 129.1, Hoyt (B) 129.2, Frits (B) 129.3, Hoyt (B) 129.4, Frits (B) 129.5, Hoyt (B) 129.6, Frits (B) 129.7, Hoyt (B) 129.8, Frits (B) 129.9, Hoyt (B) 130.0, Frits (B) 130.1, Hoyt (B) 130.2, Frits (B) 130.3, Hoyt (B) 130.4, Frits (B) 130.5, Hoyt (B) 130.6, Frits (B) 130.7, Hoyt (B) 130.8, Frits (B) 130.9, Hoyt (B) 131.0, Frits (B) 131.1, Hoyt (B) 131.2, Frits (B) 131.3, Hoyt (B) 131.4, Frits (B) 131.5, Hoyt (B) 131.6, Frits (B) 131.7, Hoyt (B) 131.8, Frits (B) 131.9, Hoyt (B) 132.0, Frits (B) 132.1, Hoyt (B) 132.2, Frits (B) 132.3, Hoyt (B) 132.4, Frits (B) 132.5, Hoyt (B) 132.6, Frits (B) 132.7, Hoyt (B) 132.8, Frits (B) 132.9, Hoyt (B) 133.0, Frits (B) 133.1, Hoyt (B) 133.2, Frits (B) 133.3, Hoyt (B) 133.4, Frits (B) 133.5, Hoyt (B) 133.6, Frits (B) 133.7, Hoyt (B) 133.8, Frits (B) 133.9, Hoyt (B) 134.0, Frits (B) 134.1, Hoyt (B) 134.2, Frits (B) 134.3, Hoyt (B) 134.4, Frits (B) 134.5, Hoyt (B) 134.6, Frits (B) 134.7, Hoyt (B) 134.8, Frits (B) 134.9, Hoyt (B) 135.0, Frits (B) 135.1, Hoyt (B) 135.2, Frits (B) 135.3, Hoyt (B) 135.4, Frits (B) 135.5, Hoyt (B) 135.6, Frits (B) 135.7, Hoyt (B) 135.8, Frits (B) 135.9, Hoyt (B) 136.0, Frits (B) 136.1, Hoyt (B) 136.2, Frits (B) 136.3, Hoyt (B) 136.4, Frits (B) 136.5, Hoyt (B) 136.6, Frits (B) 136.7, Hoyt (B) 136.8, Frits (B) 136.9, Hoyt (B) 137.0, Frits (B) 137.1, Hoyt (B) 137.2, Frits (B) 137.3, Hoyt (B) 137.4, Frits (B) 137.5, Hoyt (B) 137.6, Frits (B) 137.7, Hoyt (B) 137.8, Frits (B) 137.9, Hoyt (B) 138.0, Frits (B) 138.1, Hoyt (B) 138.2, Frits (B) 138.3, Hoyt (B) 138.4, Frits (B) 138.5, Hoyt (B) 138.6, Frits (B) 138.7, Hoyt (B) 138.8, Frits (B) 138.9, Hoyt (B) 139.0, Frits (B) 139.1, Hoyt (B) 139.2, Frits (B) 139.3, Hoyt (B) 139.4, Frits (B) 139.5, Hoyt (B) 139.6, Frits (B) 139.7, Hoyt (B) 139.8, Frits (B) 139.9, Hoyt (B) 140.0, Frits (B) 140.1, Hoyt (B) 140.2, Frits (B) 140.3, Hoyt (B) 140.4, Frits (B) 140.5, Hoyt (B) 140.6, Frits (B) 140.7, Hoyt (B) 140.8, Frits (B) 140.9, Hoyt (B) 141.0, Frits (B) 141.1, Hoyt (B) 141.2, Frits (B) 141.3, Hoyt (B) 141.4, Frits (B) 141.5, Hoyt (B) 141.6, Frits (B) 141.7, Hoyt (B) 141.8, Frits (B) 141.9, Hoyt (B) 142.0, Frits (B) 142.1, Hoyt (B) 142.2, Frits (B) 142.3, Hoyt (B) 142.4, Frits (B) 142.5, Hoyt (B) 142.6, Frits (B) 142.7, Hoyt (B) 142.8, Frits (B) 142.9, Hoyt (B) 143.0, Frits (B) 143.1, Hoyt (B) 143.2, Frits (B) 143.3, Hoyt (B) 143.4, Frits (B) 143.5, Hoyt (B) 143.6, Frits (B) 143.7, Hoyt (B) 143.8, Frits (B) 143.9, Hoyt (B) 144.0, Frits (B) 144.1, Hoyt (B) 144.2, Frits (B) 144.3, Hoyt (B) 144.4, Frits (B) 144.5, Hoyt (B) 144.6, Frits (B) 144.7, Hoyt (B) 144.8, Frits (B) 144.9, Hoyt (B) 1